



Tehnički servisi željezničkih vozila d.o.o. OIB: 32246690065 ZAGREB, Strojarska cesta 13, tel: 01/5808176, fax: 01/5808191, MB: 1730835 Bank account:HR932340009-1110115734

PROCUREMENT PROCEDURE No. 491/2015 IV Subject: INVITATION TO TENDER

I. Subject

Delivery of goods; GM EMD parts for diesel electric locomotives GT26CW, G26CW i GT22HW and corresponding diesel engines 16-645E3, 16-645E, 12-645E3

- II. contents of the bid
- 1, the name and address of the bidder
- 2. type of service being offered
- 3. unit price
- 4. conditions and method of payment L/C
- 5. other benefits offered by the bidder
- 6. offered price must be fixed in US dollars
- 7. bid validity period 60 days
- III. Documentation that bidders must submit in order to demonstrate their capability
- 1. Statement of Integrity
- 2. The statement of delivery guarantees for the proper performance of the contract in case of breach of contract
- 3. Copy of the criminal record:

If the economy operator or the person authorised to represent the economic operator has not been a subject of a conviction by final judgment for the criminal acts of participation in a crimminal organisations, fraud and money laundering, or corresponding criminal acts in accordance with the legal provisions of the country in which the economic operator is established, in accordance with special legal provisions of the country in which the economic operator is established. For the purposes of determining the circumstances of this point economic operator is obliged to provide a copy of evidence that the economic operator or the person authorised to represent the economic operator has not been convicted by a judgment which has the force of res judicata of any offence concerning his professional conduct or that he is not guilty of professional miscondict, and require the evidince in accordance with the special legal provisions of the country in which the economic operator is established.

The evidence of the non-existance of a criminal record shall not be older than six months on the date on which the notice was sent.

If you are in the country of economic operator and / or country whose nationality is the person authorised to represent the economic operator do not issue documents from this point, it is not possible to obtain or they do not cover all the aforesaid crimes, they may be replaced a declaration on oath or an appropriate statement of the person authorised to represent the economic operator i front of a competent judicial or administrative authority or a notary or a competent professional or trade body in the country in which the economic operator is established.

The statement shall not be older than six months on the date on which the notice was sent.





#### 4. Confirmation of the tax administration:

If economic opreator has not fulfilled the obligation to pay outstanding tax liabilities and obligations for pension and health insurance, unless the economic operator in accordance with special regulations approved deferred payment of those liabilities. For the purposes of proving the circumstances referred to in this point of economic entity is obliged to offer to submit a certificate of tax administration on the debt or equivalent document of the competent authority of the host state of the economic entity, which may not be older than 30 days on the date on which the notice was sent.

If you are in the country where the economic operator does not issue the said document, it may be replaced by a declaration on oath or an appropriate statement of a person who is under law authorized to represent the economic operator in front of a competent judicial or administrative authority or a notary or a competent professional or trade body in the country in the country in which the economic operator is established.

The statement shall not be older than 30 days on the date on which the notice was sent.

#### 5. Evidence of legal and business capacity:

A copy the certificate of the registration with the business, court (commercial) professional, trades/crafts or other approprate register or an adequate certificate proving that a bankruptcy procedure is not pending, that the economic operator is not in the procedure of liquidation or in the procedure of winding up his business activity or that he has not wound up his business activity, or the evidence that the economic opreator holds an authorisation, approval and the like that he needs in the country where he is established in order to perform activities related to a subject –matter of procurement or a certificate of membership in a specific professional organisation which is mandatory in the country where he is established in order to perform activities related to the subject-matter of procurement.

If the evidence is not issued in the country where the economic operator is established, the contracting authority may request the economic operator to provide an appropriate statement with the signiture certified by the competet authority.

The evidence of the non-existance of a criminal record shall not be older then 3 months on the date on which the notice was sent.

#### 6. Tender Guarantee

Bidder shall submit bid guarantee in the amount of 5% (five percent) of the estimated value of procurement. The bidder shall povide guarantee in one of the following forms:

an originally bank guarantee which should be unconditional, the "first call" and "no objection"

7. Other conditions attached to the Technical terms and conditions 2-324 number 6824

#### IV. The best bids

- 1. Eligible bids are those bids that are made pursuant to the terms of this invitation, properly labeled and submitted by the specified date.
- 2. Purchaser will between acceptable bids, after a negotiated procedure, select the bid based on the lowest total amount price
- 3. Ordering party reserves the right to choose the most appropriate economic offer considering the lowest price on the each of positions and shortest delivery time in offer when choosing a priority for optimum overall bid.
- 4. Deadlines and delivery schedule will be defined order or contract.
- 5. The bidder shall indicate the required subcontractors to tender a list if there is the same.





V. Submit your offer no later then 19/10/2015, in the standard time zone UTC / GMT + 1 to 15:00 hours at the following address:

TEHNIČKI SERVISI ŽELJEZNIČKIH VOZILA Ltd. commercial activities
Strojarska 13, 1.3 room ground floor

10 000 Zagreb,

On the envelope should be marked:

Procurement subject: Offer in the closed procedure for GM-EMD parts

Procurement number: 491/2015

Indication on envelope: >> DO NOT OPEN <<

The address and the name of the bidder

If the envelope is not closed, sealed and marked as above, the Purchaser shall have no liability in the event that the offer misplaced, lost or opened ahead of schedule.

Offer regardless considering method of delivery must be delivered to the Client no later than 19/10/2015, the standard time zone UTC / GMT + 1 to 12 h.

The contracting authority reserves the right to cancel the procedure or give up on the tender at any time without having to bear any responsibility.

For further clarification or information, no later than three days before the deadline for submission of bids, please contact us in writing by fax machine 01 / 5808-191 or e-mail:

matija.puskaric@tszv.hr,ivan.valecic@tszv.hr

In written correspondence indicate the correct procurement registration number under which the leads present inquiry(491/2015).

Bids will be opened by internal Commission for the collection and evaluation of tenders, without the presence of the bidder. After completion of the procedure and the analysis of all bids, bidders will be informed.

In Zagreb, 05.10. 2015.

ATTACHMENT:

- BILL OF QUANTITIES
- BID SHEET
- TECHNICAL TERMS AND CONDITIONS 2-324
- DECLARATION OF INTEGRITY
- STATEMENT OF CONTRACT PERFORMANCE GUARANTEE

Chairman of the Board Paleznicial HRISTO SIKAVIOEV

TENDERER: \_\_\_\_\_
HEADQUARTERS AND ADDRESS\_\_\_\_\_

ORD NO	INTERNAL WAREHOUSING NUMBER	PART	CATALOG NO	UNIT MEASURE	QUANTITY	part / equivalent product, catalog code	PRICE PER PIECE	TOTAL	DELIVERY TIME IN DAYS	WEIGHT OF PACKING IN KG	PACKAGING DIMENSIONS
1		BOOTBolster dust seal	8281227	PCS	16						
2		CLAMPBoister dust seal boot	8365272	PCS	16						
3		GASKET Head-Brake cylinder 8x8 UAH	99109	PCS	40						
4		RING Anti-rattler-Brake cylinder 8x8 UAH	506400	PCS	40						
5		CONTACTOR ST-2000 Amps.	9315518	PC5	2						
б		80LT Hex head 7/ 16-14x 1-7/8	9418045	PCS	10						
7		LINKRenewable fuse-Starting motors -400 Amp250 Volts	8042739	PCS	3						
8	2166701009	FILTER Oil-Air compressor	9311037	PCS	25		ALL PARTY OF THE P				
9	2166247102	GASKET KITCylinder head	VD 110-561 8479836	PCS	274						
10	2166223046	KIT- Basic repair-Fuel injector	4991078	PCS	80			······································			
11	2166223038	KIT - Fuel Injector repair (ECOTIP)	4991049	PCS	80						
12	2166204301	LiNER ASM, Cylinder - Cast iron liner bore - Laser hardened port relief and upper bore (Hub)	9318833	PCS	46						
13	2166204020	PISTONTin plated - 18:1 compression ratio	40030947 40030447	PCS	48	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
14	2166112249	SEAL KITTraction motor gear case - Pinion Seal,Armature,{Red}	40007174	PCS	20						
15	2166112157	SEAL KITTraction motor gear case	40051181	PCS	76						
16	2166104253	LIP SEALCylinder Test Valve	40017341	PCS	60						
17	2166002101	CAM HANDLEBECLAWAT  Manufacturing inc.	72237	PCS	6						
18	2166002069	TRACK Sliding sash-BECLAWAT  Manufacturing Inc.		PCS	40						
19	2165340007	CONTACTORHead end power-PHE- Single Pole - Single Throw - 2250 Amos 350 Volts D.C.	9521384 8459697 40058952	PCS	1						
20	2165000908	RELAY., DSR-Coil resistance: 5000 Ohms -74 V.D.C.	8441604	PCS	5						
21	2165000361	TRANSFORMERGST1,GST2,GST3	9515805	PCS	12						
22	2165000114	FUSE Non-renewable - Time delay - Indicating cartridge	8439559	PCS	8						
23	2165000106	GASKET KIT Power Assembly Installation	8427232 9320843 9317971 9583686	PCS	64	, , , , , , , , , , , , , , , , , , ,					

ORĐ NO	INTERNAL WAREHOUSING NUMBER	PART	CATALOG NO	UNIT MEASURE	QUANTITY	part / equivalent product, catalog code	PRICE PER PIECE	TOTAL	DELIVERY TIME IN DAYS	WEIGHT OF PACKING IN KG	PACKAGING DIMENSIONS
24	2164712255	GASKET Valve to air reservoir	8097592	PCS	9						
25	2164686020	SWITCHCompressor Control-CCS	40048972 8358932	PCS	7						
27	2164571230	"O" RING Cartridge body to valve - Small750 O.D. x .614 I.D.	8293538	PCS	8						
28	2164571222	"O" RING Cap to body625 O.D. x .437 i.D.	8156983	PCS	20						
29	2164571214	SEAL "O" ring -13/16 O.D.	8321180	PCS	5						
30	2164571008	VALVE Sander control - 500-85-1-20 Solenoid actuated with automatic clean-out niungers	8332920 8464204	PCS	6						
31	2164547073	SEAL Piston -1.56 I.D Rubber	8349349 8381469	PCS	14						
32	2164547065	PISTON Air cylinder	8381399	PCS	2						
33	2164406031	RELAY FPR-PCR-General purpose- Working Voltage 74 V.D.C.	8363168	PCS	8						
34	2164406023	RELAY ER-FPC-GFR-General purpose- Working Voltage 74 V.D.C.	835741 <del>6</del>	PCS	3						
35	2164406015	RELAY FOR-RER-General purpose- Working Voltage 74 V.D.C.	8357415	PCS	2						
36	2164400000	AMMETERT.M,. load indicating-0- 1500 Amp.	8380058 8387562	PCS	2						
37	2164384030	BOOT Stud insulator - Rubber	8417727	PCS	80		:				
38	2164360113	SEAL Water outlet elbow to crankcase	TD 010-030 8413892 8317972	PCS	120						
39	2164307049	HOUSING ASSEMBLY Brush - Includes spring	8330890	PCS	300						
40	2164247153	GASKET KITWater Pump	VD 110-613 9580724 8368757	PCS	6				-		
41	2164228195	HOSE ASY 5/8 female, swivel tube conn., 1/2 in. l.D. x 18 in. long	8405061	PCS	8	**************************************				· · · · · · · · · · · · · · · · · · ·	
42	2164223311	TIP ASM16-645E Engine-5 hole - Low-Sac - Includes needle valve	5236410 5228813 5229195 40084688	PCS	50				+ + + + + + + + + + + + + + + + + + +	****	
43	2164223295	KIT ASSEMBLY Basic injector repair	40084750 5228836 9583713	PCS	100						
44	2164220275	TRAP Sand - Type 273F - 3-1/4 in. square flanged sand inlet- 1 F.P.T. sand outlet	8269587	PCS	12						
45	2164219004	TUBE Oil - Piston cooling	8347825 8405427 8453422 9549578	PCS	30						
46	2164207611	Liner ASM Cylinder - Chrome plated liner bore -18 port fabricated	9090233	PCS	52						
47	2164204352	PISTON Bare - Standard-645E Engines	8472778	PCS	32						
48	2164081156	TUBEGlass-5/8 O.D.x 30-3/4 in.long- Gauge Fuel Level	8245707 723750	PCS	16			······································			

ORD NO	INTERNAL : WAREHOUSING NUMBER	PART	CATALOG NO	UNIT MEASURE	QUANTITY	part / equivalent product, catalog code	PRICE PER PIECE	TOTAL	DELIVERY TIME IN DAYS	WEIGHT OF PACKING IN KG	PACKAGING DIMENSIONS
49	2164052348	SEALRubber -Accepts pipe size 3-1/2 in.	8479603	PCS	-6						
50	2164052215	SEAL ASSEMBLY Accepts pipe size 2 in.	8479537 8479543	PCS	16						
52	2163619113	SWITCHTemperature-TB	8453853 40040513	PCS	2						
53	2163619055	SWITCHTemperature-TA	40040508 8424293	PCS	2						
54	2163617109	GAUGE Lube oil pressure -0 to 160 lbs. and 0 to 11 bar	8231594	PCS	6						
55	2163300243	DIODE Silicon -2400 Volt-Polarity At Base-Neg.	40029131 8418563 8368469	PCS	2						
56	2163300235	DIODE Silicon -2400 Volt-Polarity At Base-Pos.	40029132 8368467	PCS	4						
57	2163227123	GASKET Header to core-Lube oil cooler	TD 010-014 8272140 9570894	PCS	83						
58	2153223254	TiP ASM6 hole - Low-Sac - includes needle valve (12,16,20-645E3 engines)	5229230 9582647 40084689	PCS	30						
59	2163223023	PLUNGER ASSEMBLY Includes bushing	9582668 5228894	PCS	7						
60	2163220151	SEAL O-ring-Turbocharger Lube Oil Filter	TD 010-013 8288955	PCS	44						
61	2163204502	RING SET Standard diameter-With Chrome Plated Liner Bores	8455547 8466793 9323296	PCS	92						
62	2163204445	PISTON Bare - Standard (645E3 Engines)	8459702	PCS	32						
63	2163204361	RING SET Standard Diameter - Laser Hardened Upper Bore Cast Iron Liner	40033365 40026492 9516928 8467250 8434523	PCS	64						
64	2163046648	RESISTOR 15,000 Ohms -25 Watt	8336365	PCS	1						
65	2163046325	LHNKRenewable fuse at 100 Volts	8414677	PCS	3	1148					
66	2163046317	FUSEStarting motors - 800 Amp 100 Volts	8414678	PCS	3						
67	2161750050	CUP Piston-Brake cylinder 8x8 UAH	506957 8062832	PCS	40						
68	2161750035	SEAL Hollow rod-Brake cylinder 8x8 UAH	511677 9524231	PCS	40						
69	2161730052	BALL COCK VALVES Pipe Size 3/8 F.T.P.	561784 8351608 8047162	PCS	2						
70	2161707506	GAUGE Oil level float - "Add - Run - Exc."	8267929	PCS	2						
71	2161705120	GAUGE Simplex - 2-1/2 in0 to 100 P.S.J Air	8337561 8127030 8054977	PCS	20						
72	2161703232	GASKET Cover plate to head	VD 110-371 40054840 9572069 8107325	PCS	20	-					
73	2161703224	GASKET Valve cover to low pressure head	<u>VD 110-370</u> 40054412 9572068 8107324	PCS	18						

ORD NO	INTERNAL WAREHOUSING NUMBER	PART	CATALOG NO	UNIT MEASURE	QUANTITY	part / equivalent product, catalog code	PRICE PER PIECE	TOTAL	DELIVERY TIME IN DAYS	WEIGHT OF PACKING IN KG	PACKAGING DIMENSIONS
74	2161703166	GASKET Valve seat to head	<u>VD 110-368</u> 8083592	PCS	28						
75	2161703141	DISC Valve - Outer	8083590	PCS	30						
77	2161703067	GASKET Valve seat to head	<u>VD 110-365</u> 8063286	PCS	10						
78	2161703059	DISC Valve - Inner discharge	8063274	PCS	30						
79	2161703042	DiSC Valve - Outer discharge	8063273	PCS	18						
80	2161703018	VALVE High pressure discharge	40011354 8033552	PCS	2						
81.	2161703000	VALVE ASY Low pressure discharge - 6 spring	8033548	PCS	4				·		
82	2161700543	RING SET High pressure	8271437	PCS	11						
83	2161700535	RING SET Low pressure	8271433	PCS	21				***		
84	2161617200	GAUGE- Pressure BC-BP - 0 to 160 lbs 0-11 bar	40080394 8387330 8231326	PCS	4						
85	2161571035	CAP ASSEMBLY Sand box	8205448	PCS	6.						
86	2161557075	GASKET Vane motor cover	8048814	PCS	3						
87	2161544008	CLUTCH ASY Fan drive	8103853	PCS	2					namanananananananananananananananananan	
88	2161543372	HU8 Cooling fan	8189194	PCS	<b>√</b> -					and the second s	
89	2161543281	HOSE ASY Rotor seal to air line	8195499	PCS	4						
90	2161543265	SEAL Rotor-5/8-18 M.P.T1/4 F.P.T air inlet	8190533	PCS	2						
91.	2161543141	BEARING Ball-Driving wheel and drive shaft	954798	PCS	3						
92	2161543133	BEARING Ball-Cooling fan	954666	PCS	6						
93	2161543083	WHEEL Driving	8189214	PCS	2						
94	2161455080	SEAT Plunger	8251091	PCS	16						
95	2161385048	WICK ASSEMBLY Lubricator - Includes carrier assembly	40014545 8277771	PCS	34						
96	2161382342	SHIM Cap010	8300067	PCS	90						
97	2161375163	HOLDER ASY CELL ASY- Brush spring	8290123 8338116	PCS	64						
98	2161375130	KiT Wick assembly - Lubricator	8280016 8315778	PCS	120						

ORD NO	INTERNAL . WAREHOUSING : NUMBER	PART	CATALOG NO	UNIT MEASURE	QUANTITY	part / equivalent product, catalog code	PRICE PER PIECE	TOTAL	DELIVERY TIME IN DAYS	WEIGHT OF PACKING IN KG	PACKAGING DIMENSIONS
99	2161361189	SEAL Rubber	8479600	PCS	6						
100	2161300088	SLEEVE Insulator	<u>TD 010-010</u> 8303195	PCS	192						
102	2161247164	GASKET KIT Cylinder Liner Installation	<u>VD 110-560</u> 8284873 9320844	PCS	96						
103	2161247016	GASKET KIT Auxiliary Generator Drive	<u>VD 110-620</u> 8209989 40001582	PCS	6						
104	2161232158	GASKET Filter cover	8358905	PCS	26						
105	2161225103	TUBE ASSEMBLY Water inlet	9093027 8347340	PCS	17						
106	2161225053	BOLT Jumper line to liner - 3/8-16 x 1-1/8 hex. hd includes lockwasher	8226964	PCS	34						
107	2161222282	VALVE Relief -60 PSI	82 <del>9</del> 7957	PCS	8						
108	2161222266	LINE ASSEMBLY Fuel oil - Manifold to injector	8160209	PCS	26						
109	2161215393	DIAPHRAGM Lube oil	8158716	PCS	6						
110	2161215112	SWITCH Lube oil signal	8113755	PCS	4						
111	2161207598	LOCK Valve seat - One half - Single groove	8238316 8383293 40042790	PCS	120						
112	2161207580	SEAL Lower liner -Polyacrilic rubber	8228554	PCS	77						
113	2161207549	RING Seat - Cylinder head617 x .192 thick	DK-E-059 8167949 8419438 9509180	PCS	54						
114	2161207333	BUSHING Rocker arm	9571921 8055322	PCS	124						
115	2161207184	GUIDE Exhaust valve	8028447 8310840	PCS	144						
116	2161207150	SEAT- Spring	8028126	PCS	52						
117	2161207085	VALVE Exhaust - Heavy head - Inconel	8262473 8279487 9319735	PCS	264						
118	2161207077	ADJUSTER ASSEMBLY ., Lash	8085254	PCS	248						
119	2161207002	HEAD ASM Cylinder with 9319735 valves	8208392 8262442 8367330 8424465 8424464 9319456	PCS	48						
120	2161204348	SHELL - Bearing - Insert - Carrier - Silver plated	8269841 8361565	PCS	132						
121	2161204330	PiN Piston	8214930 8269842	PCS	50						
122	2161204249	WASHER Thrust- Carrier	8135330	PCS	105						***************************************
123	2161204207	SHELL Bearing - Connecting rad - Lower	8136114	PCS	61						
124	2161204116	SHELL Bearing - Connecting rod - Upper	8041707 8329498 8354118	PCS	<del>6</del> 1	Ald					
125	2161204090	ROD Connecting - Blade	8159138 9544257 40108498	PCS	12						
127	2161202169	GASKET Handhole cover	<u>TD <b>010-008</b> </u>	PCS	208						
128	2161202102	VALVE - Needle	DK-E-031 8024846	PCS	48						

					,	<del></del>	·····	·····			
ORD NO	INTERNAL WAREHOUSING NUMBER	PART	CATALOG NO	UNIT MEASURE	QUANTITY	part / equivalent product, catalog code	PRICE PER PIECE	TOTAL	DELIVERY TIME IN DAYS	WEIGHT OF PACKING IN KG	PACKAGING DIMENSIONS
129	2161202060	VALVE ASSEMBLY Cylinder test	8048880	PCS	28						
130	2161115080	GUARD Axle dust - Molded rubber	TD 010-004 8407506 8326331	₽CS	40						
131	2161115072	CLAMP Dust guard - Adjustable	8407505	PCS	50						
132	2161113051	UNITThrust-Journal box Hyatt 5-1/2 x 10 JMRA	7494211 6913028	PCS	158						
133	2161113036	BLOCK Thrust-Journal box Hyatt 5- 1/2 x 10 JMRA	7498819 6913029	PCS	74						
134	2161112152	NUT Lock -1-8 hex.	DK-E-066 8032750	PCS	78						
135	2161112129	BOLT Safety strap - 1-8x 7-1/2 tee head	DK-E-053 8322027	PCS	78						
136	2161112111	SEAL ASSEMBLY Felt - Wheel hub	TD 200-052 8250387	PCS	128						
137	2161112103	SEAL ASSEMBLY Felt - Pinion	TD 200-053 8250270	PCS	128						
138	2161112095	SEAL ASSEMBLY Felt -Gear hub and support bearing	TD 200-051 8250267	PCS	256						
139	2161112038	STRAP Safety - Gear case mounting - Upper to lower half	DK-E-065 8126036	PCS	56						
140	2161110057	RACE inner-Journal box Hyatt 5-1/2 x 10 JMRA	6912799 7451292	PCS	50						
141	2161103078	PISTON ASSEMBLY Boister friction device	40004105 8232135	PCS	46						
142	2161103060	PLATE Center wear-17-7/8 O.D.	9085368 8321934 8135935	PCS	30						
143	2161103052	RING Center half plate-18.826 O.D.	9330489 8253870	PCS	60						
144	2161103037	PLATE Wear -1/4x4-3/16x10-1/4 in.	8252020	PCS	40						
145	2161102740	GASKETFlange to brake cylinder	8057487	PCS	72						
145	2161102567	NOZZLESander	8328553	PCS	48						
147	2161102088	TRUCK PEDESTAL LINERNylatron "Notched"	DK-E-063 6912864 8301049 8485952 9520424 40012412	PCS	240						
148	2161102047	PLATE Wear -1/4 x 8 x 9-1/4 in,	8254162	PCS	64						
149	2161052051	SEAL ASSEMBLY Accepts pipe size 3 in.	8250056 8251055 8251056 8299962	PCS	12						
150	2161050030	DUCT Flexible - Traction motor air	8020225	PCS	31						
152	nema šifre	BEARING Traction Motor Support - Narrow Window - Wick Lubricated Flange-1/32 U.S.	9526108	PCS	8						
153	2161385014	BEARING Traction Motor Support - Narrow Window - Wick Lubricated Flange-1/16 U.S.	9526109 9557791	PCS	8						
154	2161385055	BEARING . , Traction Motor Support - Narrow Window - Wick Lubricated Flange-3/32 U.S.	9526110 9557792	PCS	12						

ORD NO	INTERNAL WAREHOUSING NUMBER	PART	CATALOG NO	UNIT MEASURE	QUANTITY	part / equivalent product, catalog code	PRICE PER PIECE	TOTAL	DELIVERY TIME IN DAYS	WEIGHT OF PACKING IN KG	PACKAGING DIMENSIONS
155	2161385089	BEARING Traction Motor Support - Narrow Window - Wick Lubricated Flange-1/8 U.S.	9557793	PCS	12						
156	nema šifre	SEALOil-Traction motor support bearing	9323317	PCS	30		LLANDANAPALLLA				
157	nema šifre	SEALOil-Traction motor support bearing	9329249	PCS	30						
158	2161555145	COUPLING ASSEMBLY Flexible	8077938	PCS	2						
159	2161555335	SPIDER Flexible coupling	8084884 8442239	PCS	2						
160	2151700469	CYLINDER Low pressure - 7-7/8 in . dia. bore	8237539	PCS	14						
161	2164704534	ELEMENT Paper - Filter	8402068	PCS	20						
162	2161619305	GAUGE Engine water temperature - 65° to 255°F -1/2 M.P.T. (Blue, Green and Red )	8099907 8232106	PCS	6						
163	2164571107	KIT ASSEMBLY Plunger repair - incl. spacer and seats	8447977	PCS	8						
164	2161575135	KIT Air motor repair	8334836	PCS	22						
165	2161211186	BUSHING Lower idler -4.617 O.D.	8069155	PCS	4						
166	2161211269	BUSHING ., Upper idler -4.617 O.D.	8081391	PCS	4						
167	2161211178	WASHER Thrust - Bronze - Outboard	8069139	PCS	12						
168	2161211376	WASHER Thrust - Cast iron - Inboard	8166495	PCS	12						
169	2161211194	BUSHING Drive gear - Floating	8069157	PCS	8						
170		NUT .,- 1/2-20 self-locking hex- Exhaust chamber	8284621 9338626	PCS	60						
171		BOLT 1/2-20 x 2 hex head-Exhaust chamber	8287827	PCS	60						
172		GASKET KIT Turbocharger Changeout	8414907	PCS	1						
173	2161247321	SEAL Oil - Accessory drive	8055158	PCS	2						
				·	***************************************		TOTAL			<del></del>	
		(111 1111111111111111111111111111111111			TR	ANSPORTATION COSTS W	VITH INSURANCE				
	,			ŢOT.	······································	ANSPORTATION AND INS			1		

PAYMENT METHOD:LETTER OF CREDIT,INCOTERM: CIF RIJEKA

WARANTY PERIOD FOR OFFERED PARTS

	SIGNATURE AND STAMP OF BIDDER
/ALIDITY OF OFFER	
OFFER NUMBER	
DFFER DATE	_
DELIVERY DATES:	

## **BID SHEET**

# Tehnički servisi željezničkih vozila d.o.o. Strojarska cesta 13, 10 000 ZAGREB

BID NO:	DATE:
COMPANY NAME AMD ADDRESS	
VAT NO:	ACCOUNT NUMBER
ADDRESS:	
PHONE:	FAX:
E-mail:	
NAME OF CONTACT PERSON:	
PRICE IN US DOLLARS	
ACCORDANCE WITH THE TERMS OF T	HE INQUIRY AND THE BILL OF QUANTITIES
DATA ABOUT SUBCONTRACTORS,	F THERE ARE ANY:
COMPANY NAME AND ADDRESS	
VAT NO: ACCO	UNT NUMBER:
ADDRESS:	
PHONE:	FAX:
E-mail:	
NAME OF CONTACT PERSON:	
PART OF THE CONTRACT WHICH IS GIVEN TO SUB	CONTRACTOR
TERMS OF PAYMENT: LETTER OF CRIBID VALIDITY PERIOD IS 60 DAYS FRO INCOTERM:CIF RIJEKA  IN	M THE DATE FOR SUBMISION OF BIDS
	(NAME AND SURNAME, SIGNITURE)

info@tszv.hr



## **Technical and Purchasing Conditions**

Type of product: GMC locomotive parts

2-324 Rev.: Page

Rev.: Pag 0/12 1/3

CONTRACT/ ORDER no.:

Valid for 2015 Plan

Company:

TPC no.:

## 1.0. Subject of procurement:

Procurement of parts of locomotives manufactured by General Motors Electro-Motive Diesel Inc. (GM-EMD)

## 2.0. Technical data

#### 2.1. General data

Locomotive parts are being installed into assemblies originally manufactured by GM-EMD. The Bidder (Supplier) must ensure that the offered and later, by selection of the Supplier, contracted or ordered original or equivalent spare parts and assemblies (herein referred to as 'spare parts') be designed, manufactured, tested and delivered, and to comply with the characteristics and technical properties of the original parts. The Manufacturer must meet the following requirements according to the following documents:

- Requirements for Quality Management indicated in Point 3.
- Obligations of the Bidder in Point 4.

### 2.2. Technical data of the subject of procurement

According to annex in tender documents.

Technical data are in accordance with the data given in:

- 1) the original catalog "Replacement parts catalog No.190; No.300; No.341; Electro-Motive Division La Grange, Illinois, USA";
- the original maintenance instructions Maintenance Information MI for diesel electric locomotives GT26CW; G26CW and GT22HW and corresponding diesel engines 16-645E3; 16-645E and 12-645E3 GM-EMD.

# 3.0. Requirement for Quality Management

All the spare parts produced according to contract or purchase order must be supervised, tested and controlled by the Manufacturer's Quality Control Department. The Ordering Party reserves the right to check the Manufacturer's Quality Management System at any time during the period of the contract or purchase order. Manufacturer shall provide all the necessary assistance to the authorized representative of the Ordering Party in conducting the checks.

NO

Manufacturer shall submit its Quality Plan for approval to the Ordering Party within eight days from the date of signing of the contract or purchase order acceptance. In the Quality Plan, the Ordering Party shall mark the checkpoints where it would like to be present; works must not be resumed without written approval of the Ordering Party.

#### 3.1. Quality Manual

Manufacturer shall prepare and provide the Ordering Party insight into Quality Manual which will be based on the following standards:

YES	ISO9001
NO	ISO9002
NO	ISO9003

Tehnički servisi željezničkih vozila d.o.o.
10000 Zagreb, Štrojarska cesta 13
Broj: 6824 Dana: 03.69.2015
Prilog:



Technical and Purchasing Conditions	TPC no.:	2-324
Type of product: GMC locomotive parts	Rev.: 0/12	Page 2/3
	Compan	vr

CONTRACT/ ORDER no.: Valid for 2015 Plan Company:

Quality Manual should describe the respective Quality Management System of the Manufacturer. The described system must be applied in production of the ordered parts for

rolling stock.

## 3.2. Supervision and quality control

The Manufacturer shall establish appropriate instructions for the implementation of quality and testing during the production process, necessary to prove the quality in all parts of the process and the final acceptance (takeover). Results of checks and tests must meet the requirements from the contract or purchase order.

NO do te

During the implementation of the contract or the order form, the Ordering Party will carry out supervision at the Manufacturer's place, with an obligatory final inspection and acceptance. The Manufacturer shall make available all the equipment, documentation and personnel required to determine compliance with the drawings, technical list and requirements of the contract or purchase order. Upon completion of supervision, the Manufacturer shall submit to an authorized representative of the Ordering Party & set of all the required documents which prove the quality of the product.

YES

The Ordering Party's entry control during admission of goods into the Ordering Party's storage is required.

# 4.0. Obligations of the Bidder

4.1. Documentation

No.	To submit	Documents	Time for submission
1.	YES	Type Test Certificate	at the Ordering. Party's request
2.	YES	Certificate of Representation or Certificate of Origin on the Manufacturer's letterhead.	with offer
3.	YES	Certificates and Report on Serial Testing by the Manufacturer - Quality Certificate.	with delivery of goods
4.	NO	Drawing of the offered product	with offer
5.	YES	Copy of: ISO 9001 Certificate; BER (Block Exemption Regulation) Certificate or an equivalent standard	with offer
6,	YES	Evidence proving that parts are from the original manufacturer or evidence that spare parts are equivalent to the original parts in its dimensions and technical characteristics	with offer

4.2. Mounting

Parts shall be mounted by the Ordering Party. The Bidder is obliged to submit to the

Ordering Party the following instructions and to provide technical support:

No.	To submit	Documents	Time for submission
1.	YES	Instructions for current maintenance and regular repairs (Maintenance Instruction MI; Pointers) for GM-EMD assemblies onto which the parts from inquiry are being mounted	with delivery of goods
2.	YES	Spare Parts Catalog	with delivery of goods
3.	NO	List of necessary parts for current maintenance	with delivery of goods



Technical and Purchasing Condition	S TPC no.	TPC no.: 2-324	
Type of product: GMC locomotive parts	Rev.: 0/12	Page 3/3	
Valid for 2015 Plan	Compan	у:	

CONTRACT/ ORDER no.:			Valid for 2015 Plan	Company:	
	4.	YES	Instructions on storage of parts (where this is necessary for guarantee)	with delivery of goods	
5. YES		YES	Instructions on proper installation where this is necessary for guarantee	with delivery of goods	
	6.	YES	Technical support for the proper installation of delivered parts where this is necessary for guarantee	when installing the components	

### 4.3. Putting into operation

After mounting of a spare part onto traction vehicle, the Ordering Party puts the traction vehicle into operation. The Bidder provides technical support if requested by the Ordering Party.

### 4.4. Training

If necessary, the Bidder organizes training for the Ordering Party.

#### 4.5. List of authorized service centers

#### 4.6. Proof of technical and professional capabilities

Manufacturer is obliged to submit a document stating that it is technically and professionally capable of producing the product according to the technical requirements (e.g. membership in professional organizations).

#### 4.7. Takeover

Takeover of goods fco Tehnički servisi željezničkih vozila d.o.o.:

No.	Place of delivery				
1.	Zagreb,	Ranžirni	kolodvor	(Marshalling	Yard)
	Jakuševa	ička bb			

### 4.8. Warranty periods

The Bidder's warranty for the goods is 24 months from the day of mounting onto traction vehicle, but not longer than 36 months from the day of delivery of goods. All the incurred damages caused by the fault of the procured product shall be borne by the Bidder.

### 4.9. Other

Manufacturer shall comply with the provisions of the Regulation on Requirements for Maintenance of Rolling Stock (NN, the official gazette, 141/09 article 5., point 6., indent 8.). "Installation of original spare parts or parts manufactured according to the original technical documentation i.e. parts for which there is an appropriate certificate confirming suitability for installation on a railway vehicle".

Head of Technical Support

Robert Karaj, dipl.ing.





(COMPANY N	AME)	
(VAT No.)		
(ADDRESS)_		
D	ECLARATION OF IN	NTEGRITY
<ul> <li>guarantee for corre</li> <li>guarantee the abso competition, which in advantage which ma</li> <li>express approval to</li> </ul>	ectness in the proceed ence of any prohibite includes actions as of ay affect the action of the revision of the insibility and certain	ed practices in connection with the present process of orruption or fraud, offering, giving or promising any improper
(place)	(date)	
		(L.S.)
		(Name and surname of the responsible person)





(company name and place)
STATEMENT
I hereby declare and confirm that we get chosen as the best offerer submit:
1. guarantee in the amount of 10% offers good performance service delivery of goods.
<ol><li>guarantee amounting to 10% of the offer in order to eliminate defects during the warranty period,</li></ol>
within 5 days in the form of a bank guarantee which must be unconditional, the "first call" and "no objection. A bank guarantee shall state the purpose of issuing and period of validity of which shall not be less than the period of fulfillment of contractual obligations.
authorized person
(L.S.)(Name, surname and signature)